


EXCELJET



101 EXCEL FUNCTIONS

You Should Know



PDF GUIDE

TABLE of Contents

101 Excel Functions.	2
Date and Time Functions.	3
Engineering	9
Information Functions	10
Logical Functions.	11
Lookup and Reference Functions	13
STATISTICAL Functions.	19
MATH Functions	24
TEXT Functions	28
Dynamic Array Functions.	33
More Resources.	34

Copyright

No part of this publication shall be reproduced, or sold in whole or in part in any form, without the prior written consent of the author. All trademarks and registered trademarks appearing in this guide are the property of their respective owners.

© 2021 Exceljet. All rights reserved.

<https://exceljet.net/>

Published: 2021-04-14 09:59:45

Quick Navigation

- [ABS](#) [AGGREGATE](#) [AND](#)
- [AVERAGE](#) [AVERAGEIF](#)
- [AVERAGEIFS](#) [CEILING](#)
- [CHAR](#) [CHOOSE](#) [CLEAN](#)
- [CODE](#) [COLUMN](#) [COLUMNS](#)
- [CONCAT](#) [CONCATENATE](#)
- [CONVERT](#) [COUNT](#) [COUNTA](#)
- [COUNTBLANK](#) [COUNTIF](#)
- [COUNTIFS](#) [DATE](#) [DATEDIF](#)
- [DAY](#) [EDATE](#) [EOMONTH](#)
- [EXACT](#) [FILTER](#) [FIND](#)
- [FLOOR](#) [GETPIVOTDATA](#)
- [HLOOKUP](#) [HOUR](#)
- [HYPERLINK](#) [IF](#) [IFERROR](#)
- [IFNA](#) [IFS](#) [INDEX](#) [INDIRECT](#)
- [INT](#) [ISBLANK](#) [ISERROR](#)
- [ISEVEN](#) [ISFORMULA](#)
- [ISLOGICAL](#) [ISNUMBER](#)
- [ISODD](#) [ISTEXT](#) [LARGE](#)
- [LEFT](#) [LEN](#) [LOOKUP](#) [LOWER](#)
- [MATCH](#) [MAX](#) [MAXIFS](#)
- [MID](#) [MIN](#) [MINIFS](#) [MINUTE](#)
- [MOD](#) [MODE](#) [MONTH](#)
- [MROUND](#) [NETWORKDAYS](#)
- [NOT](#) [NOW](#) [OFFSET](#) [OR](#)
- [PROPER](#) [RAND](#) [RANDARRAY](#)
- [RANDBETWEEN](#) [RANK](#)
- [REPLACE](#) [RIGHT](#) [ROUND](#)
- [ROUNDDOWN](#) [ROUNDUP](#)
- [ROW](#) [ROWS](#) [SEARCH](#)
- [SECOND](#) [SEQUENCE](#)
- [SMALL](#) [SORT](#) [SORTBY](#)
- [SUBSTITUTE](#) [SUBTOTAL](#)
- [SUM](#) [SUMIF](#) [SUMIFS](#)
- [SUMPRODUCT](#) [TEXT](#)
- [TEXTJOIN](#) [TIME](#) [TODAY](#)
- [TRANSPOSE](#) [TRIM](#)
- [UNIQUE](#) [UPPER](#) [VLOOKUP](#)
- [WEEKDAY](#) [WEEKNUM](#)
- [WORKDAY](#) [XLOOKUP](#)
- [XMATCH](#) [YEAR](#) [YEARFRAC](#)

[Table of Contents](#)

101 Excel Functions

Excel has over 480 built-in functions, and more are still being added. That is a huge number of functions to think about, even for advanced users. Thankfully, you don't need to learn all of these functions to be productive in Excel. If you have a basic understanding of about a hundred key functions, you'll be far ahead of the average user.

This document contains a brief overview of about 100 important Excel functions you should know, with links to detailed examples. It is based on a more complete list of Excel functions [here](#).

Excel Function List

Excel functions by category. Optional arguments in white. Click any function for a detailed description with formula examples. Also see [500 Formulas](#) and [101 Functions](#).

Filter
Show all

Logical

AND	Test multiple conditions with AND	logical1 logical2 ...
FALSE	Generate the logical value FALSE	
IF	Test for a specific condition	logical_test value_if_true value_if_false
IFERROR	Trap and handle errors	value value_if_error
IFNA	Trap and handle #N/A errors	value value_if_na
IFS	Test multiple conditions, return first true	test1 value1 test2,value2 ...
NOT	Reverse arguments or results	logical
OR	Test multiple conditions with OR	logical1 logical2 ...
SWITCH	Match multiple values, return first match	expression val1/result1 val2/result2 ... default
TRUE	Generate the logical value TRUE	
XOR	Perform exclusive OR	logical1 logical2 ...

[Excel Function List](#)

We also have a [large list of example formulas](#) and [video training](#). If you are new to Excel formulas and how functions are used, [see this introduction](#).

Quick Navigation

[ABS](#) [AGGREGATE](#) [AND](#)
[AVERAGE](#) [AVERAGEIF](#)
[AVERAGEIFS](#) [CEILING](#)
[CHAR](#) [CHOOSE](#) [CLEAN](#)
[CODE](#) [COLUMN](#) [COLUMNS](#)
[CONCAT](#) [CONCATENATE](#)
[CONVERT](#) [COUNT](#) [COUNTA](#)
[COUNTBLANK](#) [COUNTIF](#)
[COUNTIFS](#) [DATE](#) [DATEDIF](#)
[DAY](#) [EDATE](#) [EOMONTH](#)
[EXACT](#) [FILTER](#) [FIND](#)
[FLOOR](#) [GETPIVOTDATA](#)
[HLOOKUP](#) [HOUR](#)
[HYPERLINK](#) [IF](#) [IFERROR](#)
[IFNA](#) [IFS](#) [INDEX](#) [INDIRECT](#)
[INT](#) [ISBLANK](#) [ISERROR](#)
[ISEVEN](#) [ISFORMULA](#)
[ISLOGICAL](#) [ISNUMBER](#)
[ISODD](#) [ISTEXT](#) [LARGE](#)
[LEFT](#) [LEN](#) [LOOKUP](#) [LOWER](#)
[MATCH](#) [MAX](#) [MAXIFS](#)
[MID](#) [MIN](#) [MINIFS](#) [MINUTE](#)
[MOD](#) [MODE](#) [MONTH](#)
[MROUND](#) [NETWORKDAYS](#)
[NOT](#) [NOW](#) [OFFSET](#) [OR](#)
[PROPER](#) [RAND](#) [RANDARRAY](#)
[RANDBETWEEN](#) [RANK](#)
[REPLACE](#) [RIGHT](#) [ROUND](#)
[ROUNDDOWN](#) [ROUNDUP](#)
[ROW](#) [ROWS](#) [SEARCH](#)
[SECOND](#) [SEQUENCE](#)
[SMALL](#) [SORT](#) [SORTBY](#)
[SUBSTITUTE](#) [SUBTOTAL](#)
[SUM](#) [SUMIF](#) [SUMIFS](#)
[SUMPRODUCT](#) [TEXT](#)
[TEXTJOIN](#) [TIME](#) [TODAY](#)
[TRANSPOSE](#) [TRIM](#)
[UNIQUE](#) [UPPER](#) [VLOOKUP](#)
[WEEKDAY](#) [WEEKNUM](#)
[WORKDAY](#) [XLOOKUP](#)
[XMATCH](#) [YEAR](#) [YEARFRAC](#)


[Table of Contents](#)

Date and Time Functions

Excel provides many functions to work with [dates](#) and [times](#).

NOW and TODAY

You can get the current date with the [TODAY function](#) and the current date and time with the [NOW Function](#). Technically, the NOW function returns the current date and time, but you can format as time only, as seen below:



```
TODAY() // returns current date
NOW() // returns current time
```

Note: these are [volatile functions](#) and will recalculate with every worksheet change. If you want a static value, use [date](#) and [time](#) shortcuts.

DATE SHORTCUT: This shortcut will insert the current date as a fixed value; it will not change.



TIME SHORTCUT: This shortcut will insert the current time as a fixed value; it will not change. [Note: In Mac 2016, Control Shift : stopped working to insert a time. Command ; now seems to work.]



[More excel shortcuts.](#)



Easily add Date and Time to your Excel files using these functions

DAY, MONTH, YEAR, and DATE

You can use the [DAY](#), [MONTH](#), and [YEAR](#) functions to disassemble any date into its raw components, and the [DATE function](#) to put things back together again.

Date	YEAR	MONTH	DAY	DATE
14-Nov-18	2018	11	14	14-Nov-18
23-Apr-12	2012	4	23	23-Apr-12
20-Feb-00	2000	2	20	20-Feb-00
4-Oct-95	1995	10	4	4-Oct-95

```

=DAY("14-Nov-2018") // returns 14
=MONTH("14-Nov-2018") // returns 11
=YEAR("14-Nov-2018") // returns 2018
=DATE(2018,11,14) // returns 14-Nov-2018
    
```

HOUR, MINUTE, SECOND, and TIME

Excel provides a set of parallel functions for times. You can use the [HOUR](#), [MINUTE](#), and [SECOND](#) functions to extract pieces of a time, and you can assemble a TIME from individual components with the [TIME function](#).

Date	HOUR	MINUTE	SECOND	TIME
10:00 AM	10	0	0	10:00 AM
11:30 AM	11	30	0	11:30 AM
3:05:02	3	5	2	3:05:02
5:15 PM	17	15	0	5:15 PM

```

=HOUR("10:30") // returns 10
=MINUTE("10:30") // returns 30
=SECOND("10:30") // returns 0
=TIME(10,30,0) // returns 10:30
    
```

Did you know?

Excel dates are serial numbers that start in the year 1900.

Excel times are fractions of the number 1.

Both [dates](#) and [times](#) are numbers that can be used in math operations.



DATEDIF and YEARFRAC

You can use the [DATEDIF function](#) to get time between dates in years, months, or days. DATEDIF can also be configured to get total time in “normalized” denominations, i.e. “2 years and 5 months and 27 days”.

Time between dates		total by unit			normalized		
Date 1	Date 2	Years	Months	Days	Years	Months	Days
14-Nov-18	10-Jun-21	2	30	939	2	6	27
23-Apr-12	17-Oct-13	1	17	542	1	5	24
20-Feb-00	11-May-08	8	98	3003	8	2	21
4-Oct-95	1-Mar-12	16	196	5993	16	4	26

The DATEDIF function is a good way to calculate age from a birthday. See [this example formula](#).

Use [YEARFRAC](#) to get fractional years:

Date 1	Date 2	YEARFRAC
14-Nov-18	10-Jun-21	2.6
23-Apr-12	17-Oct-13	1.5
20-Feb-00	11-May-08	8.2
4-Oct-95	1-Mar-12	16.4

```
= YEARFRAC("14-Nov-2018","10-Jun-2021") // returns 2.57
```

Quick Navigation

- [ABS](#) [AGGREGATE](#) [AND](#)
- [AVERAGE](#) [AVERAGEIF](#)
- [AVERAGEIFS](#) [CEILING](#)
- [CHAR](#) [CHOOSE](#) [CLEAN](#)
- [CODE](#) [COLUMN](#) [COLUMNS](#)
- [CONCAT](#) [CONCATENATE](#)
- [CONVERT](#) [COUNT](#) [COUNTA](#)
- [COUNTBLANK](#) [COUNTIF](#)
- [COUNTIFS](#) [DATE](#) [DATEDIF](#)
- [DAY](#) [EDATE](#) [EOMONTH](#)
- [EXACT](#) [FILTER](#) [FIND](#)
- [FLOOR](#) [GETPIVOTDATA](#)
- [HLOOKUP](#) [HOUR](#)
- [HYPERLINK](#) [IF](#) [IFERROR](#)
- [IFNA](#) [IFS](#) [INDEX](#) [INDIRECT](#)
- [INT](#) [ISBLANK](#) [ISERROR](#)
- [ISEVEN](#) [ISFORMULA](#)
- [ISLOGICAL](#) [ISNUMBER](#)
- [ISODD](#) [ISTEXT](#) [LARGE](#)
- [LEFT](#) [LEN](#) [LOOKUP](#) [LOWER](#)
- [MATCH](#) [MAX](#) [MAXIFS](#)
- [MID](#) [MIN](#) [MINIFS](#) [MINUTE](#)
- [MOD](#) [MODE](#) [MONTH](#)
- [MROUND](#) [NETWORKDAYS](#)
- [NOT](#) [NOW](#) [OFFSET](#) [OR](#)
- [PROPER](#) [RAND](#) [RANDARRAY](#)
- [RANDBETWEEN](#) [RANK](#)
- [REPLACE](#) [RIGHT](#) [ROUND](#)
- [ROUNDDOWN](#) [ROUNDUP](#)
- [ROW](#) [ROWS](#) [SEARCH](#)
- [SECOND](#) [SEQUENCE](#)
- [SMALL](#) [SORT](#) [SORTBY](#)
- [SUBSTITUTE](#) [SUBTOTAL](#)
- [SUM](#) [SUMIF](#) [SUMIFS](#)
- [SUMPRODUCT](#) [TEXT](#)
- [TEXTJOIN](#) [TIME](#) [TODAY](#)
- [TRANSPOSE](#) [TRIM](#)
- [UNIQUE](#) [UPPER](#) [VLOOKUP](#)
- [WEEKDAY](#) [WEEKNUM](#)
- [WORKDAY](#) [XLOOKUP](#)
- [XMATCH](#) [YEAR](#) [YEARFRAC](#)

[Table of Contents](#)


EDATE and EOMONTH

A common task with dates is to shift a date forward (or backward) by a given number of months. You can use the [EDATE](#) and [EOMONTH](#) functions for this. EDATE moves by month and retains the day. EOMONTH works the same way, but always returns the last day of the month.

Start	Months		EDATE	EOMONTH
20-Mar-2010	6	->	20-Sep-2010	30-Sep-2010
11-Aug-2013	-6	->	11-Feb-2013	28-Feb-2013
30-Nov-2015	12	->	30-Nov-2016	30-Nov-2016
10-Jan-2017	0	->	10-Jan-2017	31-Jan-2017
7-May-2018	9	->	7-Feb-2019	28-Feb-2019
19-Jul-2020	24	->	19-Jul-2022	31-Jul-2022

```

EDATE(date,6) // 6 months forward
EOMONTH(date,6) // 6 months forward (end of month)
    
```



VIDEO

[How to highlight expiration dates](#)



Shift dates Forward (or Backward) using EDATE

WORKDAY and NETWORKDAYS

To figure out a date n working days in the future, you can use the **WORKDAY** function. To calculate the number of [workdays](#) between two dates, you can use [NETWORKDAYS](#).

E5 `=WORKDAY(B5,C5,holidays)`

Get a date n workdays in future or past

Start	Days	WORKDAY	Holidays
Mon, 6-May-2019	5	Mon, 13-May-2019	27-May-2019
Mon, 6-May-2019	10	Mon, 20-May-2019	4-Jul-2019
Sat, 1-Jun-2019	30	Mon, 15-Jul-2019	
Fri, 10-May-2019	15	Mon, 3-Jun-2019	
Fri, 10-May-2019	-5	Fri, 3-May-2019	

holidays = G5:G6

EXCELJET

```
WORKDAY(start,n,holidays) // date n workdays in future
```

E5 `=NETWORKDAYS(B5,C5,holidays)`

Get number of workdays between dates


Start	Finish	Workdays	Holidays
Mon, 6-May-2019	Mon, 13-May-2019	6	27-May-2019
Mon, 6-May-2019	Mon, 20-May-2019	11	4-Jul-2019
Sat, 1-Jun-2019	Mon, 15-Jul-2019	30	
Fri, 10-May-2019	Mon, 3-Jun-2019	16	
Fri, 10-May-2019	Fri, 3-May-2019	-6	

holidays = E5:E6

EXCELJET

```
NETWORKDAYS(start,end,holidays) // number of workdays between dates
```

Note: Both functions automatically skip weekends (Saturday and Sunday) and will also skip holidays, if provided. If you need more flexibility on what days are considered weekends, see the [WORKDAY.INTL](#) function and [NETWORKDAYS.INTL](#) function.



VIDEO

[How to calculate due dates with WORKDAY](#)

[Practice worksheets included with online Video Training](#)

WEEKDAY and WEEKNUM

To figure out the day of week from a date, Excel provides the [WEEKDAY function](#). WEEKDAY returns a number between 1-7 that indicates Sunday, Monday, Tuesday, etc. Use the [WEEKNUM function](#) to get the week number in a given year.

Date	WEEKDAY	WEEKNUM
Sun, 11-Nov-2018	1	46
Mon, 12-Nov-2018	2	46
Tue, 1-Jan-2019	3	1
Fri, 1-Feb-2019	6	5

```
= WEEKDAY(date) // returns a number 1-7
= WEEKNUM(date) // returns week number in year
```

See [this formula](#) to calculate sales per weekday.



MONDAY



TUESDAY



WEDNESDAY



THURSDAY



FRIDAY



SATURDAY

FORMULA

Get the monday of the week

Engineering

CONVERT

Most Engineering functions are pretty technical... you'll find a lot of functions for complex numbers in this section. However, the [CONVERT](#) function is quite useful for everyday unit conversions. You can use CONVERT to change units for distance, weight, temperature, and much more.

Input	From	To	Output
72	F	C	22.2
10	km	mi	6.2
175	lbm	kg	79.4
75	in	m	1.9
1	gal	l	3.8



```
= CONVERT(72, "F", "C") // returns 22.2
```

See [this formula](#) to calculate the BMI of an individual where the CONVERT function is used to convert between the metric and imperial unit systems.

Using the Versatile Convert Function



1 Gallon = 3.8 Litres




1 in = 2.54 cm

Information Functions

ISBLANK, ISERROR, ISNUMBER, and ISFORMULA

Excel provides many functions for checking the value in a cell, including [ISNUMBER](#), [ISTEXT](#), [ISLOGICAL](#), [ISBLANK](#), [ISERROR](#), and [ISFORMULA](#). These functions are sometimes called the “IS” functions, and they all return TRUE or FALSE based on a cell’s contents.



Value	ISNUMBER	ISTEXT	ISLOGICAL	ISBLANK	ISERROR	ISFORMULA
100	TRUE	FALSE	FALSE	FALSE	FALSE	FALSE
6/28/2018	TRUE	FALSE	FALSE	FALSE	FALSE	FALSE
\$20.00	TRUE	FALSE	FALSE	FALSE	FALSE	FALSE
50%	TRUE	FALSE	FALSE	FALSE	FALSE	FALSE
8:15 AM	TRUE	FALSE	FALSE	FALSE	FALSE	FALSE
	FALSE	FALSE	FALSE	TRUE	FALSE	FALSE
apple	FALSE	TRUE	FALSE	FALSE	FALSE	FALSE
#DIV/0!	FALSE	FALSE	FALSE	FALSE	TRUE	TRUE
FALSE	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE

Excel also has [ISODD](#) and [ISEVEN](#) functions will test a number to see if it’s even or odd.

By the way, the green fill in the screenshot above is applied automatically with a [conditional formatting](#) formula.



*True or False
results using
Information
Functions*

Logical Functions

Excel's logical functions are a key building block of many advanced formulas. Logical functions return the boolean values TRUE or FALSE. If you need a primer on logical formulas, [this video goes through many examples](#).



AND, OR and NOT

The core of Excel's logical functions are the [AND function](#), the [OR function](#), and the [NOT function](#). In the screen below, each of these function is used to run a simple test on the values in column B:

Value	AND	OR	NOT
2	FALSE	FALSE	FALSE
4	TRUE	FALSE	TRUE
3	FALSE	TRUE	TRUE
2	FALSE	FALSE	FALSE
7	TRUE	FALSE	TRUE
9	FALSE	TRUE	TRUE

= AND (B5 > 3 , B5 < 9)
 = OR (B5 = 3 , B5 = 9)
 = NOT (B5 = 2)

Is it Green?



VIDEO

[How to build logical formulas](#)

GUIDE

[50 examples of formula criteria](#)

IF and IFS functions

The [IF function](#) is one of the most used functions in Excel. In the screen below, IF checks test scores and assigns "pass" or "fail":

Name	Score	Result
Anderson	92	Pass
Bautista	85	Pass
Block	65	Fail
Burrows	79	Pass
Chandler	69	Fail
Colby	95	Pass

Passing score: 70

The logical functions above can be combined with the IF function to create more complex logical tests. Alternatively, multiple IF functions [can be nested together](#) to return more than two values as a result.

New in Excel 2019 and Office 365, the [IFS function](#) can run multiple logical tests without [nesting IFs](#).

Assigning grades with the IFS function

Name	Score	Grade
Hannah	81.8	B
Edward	82.8	B
Miranda	91.3	A
William	76	C
Joanna	71.2	C
Collin	80.6	B
Mallory	85	B
Oscar	79.2	C

Score	Grade
0	F
60	D
70	C
80	B
90	A

```
= IFS ( C5 < 60 , "F" , C5 < 70 , "D" , C5 < 80 , "C" , C5 < 90 , "B" , C5 >= 90 , "A" )
```

IFERROR and IFNA

The [IFERROR function](#) and [IFNA function](#) can be used as a simple way to trap and handle errors. In the screen below, [VLOOKUP](#) is used to retrieve cost from a menu item. Column F contains just a [VLOOKUP function](#), with no error handling. Column G shows how to use IFNA with VLOOKUP to display a custom message when an unrecognized item is entered.

Trapping VLOOKUP errors with IFNA

Item	Cost
Pizza	\$3.25
Hot Dog	\$1.75
Chicken	\$3.50
Sushi	\$5.00
Hamburger	\$3.25

Item	Cost	IFNA
Pizza	\$3.25	\$3.25
Sushi	\$5.00	\$5.00
Ice cream	#N/A	Not found

menu = B5:C9

```
= VLOOKUP ( E5 , menu , 2 , 0 ) // no error trapping
= IFNA ( VLOOKUP ( E5 , menu , 2 , 0 ) , "Not found" ) // catch errors
```

Whereas IFNA only catches an #N/A error, the [IFERROR function](#) will catch any formula error.

Quick Navigation

- [ABS](#)
- [AGGREGATE](#)
- [AND](#)
- [AVERAGE](#)
- [AVERAGEIF](#)
- [AVERAGEIFS](#)
- [CEILING](#)
- [CHAR](#)
- [CHOOSE](#)
- [CLEAN](#)
- [CODE](#)
- [COLUMN](#)
- [COLUMNS](#)
- [CONCAT](#)
- [CONCATENATE](#)
- [CONVERT](#)
- [COUNT](#)
- [COUNTA](#)
- [COUNTBLANK](#)
- [COUNTIF](#)
- [COUNTIFS](#)
- [DATE](#)
- [DATEDIF](#)
- [DAY](#)
- [EDATE](#)
- [EOMONTH](#)
- [EXACT](#)
- [FILTER](#)
- [FIND](#)
- [FLOOR](#)
- [GETPIVOTDATA](#)
- [HLOOKUP](#)
- [HOUR](#)
- [HYPERLINK](#)
- [IF](#)
- [IFERROR](#)
- [IFNA](#)
- [IFS](#)
- [INDEX](#)
- [INDIRECT](#)
- [INT](#)
- [ISBLANK](#)
- [ISERROR](#)
- [ISEVEN](#)
- [ISFORMULA](#)
- [ISLOGICAL](#)
- [ISNUMBER](#)
- [ISODD](#)
- [ISTEXT](#)
- [LARGE](#)
- [LEFT](#)
- [LEN](#)
- [LOOKUP](#)
- [LOWER](#)
- [MATCH](#)
- [MAX](#)
- [MAXIFS](#)
- [MID](#)
- [MIN](#)
- [MINIFS](#)
- [MINUTE](#)
- [MOD](#)
- [MODE](#)
- [MONTH](#)
- [MROUND](#)
- [NETWORKDAYS](#)
- [NOT](#)
- [NOW](#)
- [OFFSET](#)
- [OR](#)
- [PROPER](#)
- [RAND](#)
- [RANDARRAY](#)
- [RANDBETWEEN](#)
- [RANK](#)
- [REPLACE](#)
- [RIGHT](#)
- [ROUND](#)
- [ROUNDDOWN](#)
- [ROUNDUP](#)
- [ROW](#)
- [ROWS](#)
- [SEARCH](#)
- [SECOND](#)
- [SEQUENCE](#)
- [SMALL](#)
- [SORT](#)
- [SORTBY](#)
- [SUBSTITUTE](#)
- [SUBTOTAL](#)
- [SUM](#)
- [SUMIF](#)
- [SUMIFS](#)
- [SUMPRODUCT](#)
- [TEXT](#)
- [TEXTJOIN](#)
- [TIME](#)
- [TODAY](#)
- [TRANSPOSE](#)
- [TRIM](#)
- [UNIQUE](#)
- [UPPER](#)
- [VLOOKUP](#)
- [WEEKDAY](#)
- [WEEKNUM](#)
- [WORKDAY](#)
- [XLOOKUP](#)
- [XMATCH](#)
- [YEAR](#)
- [YEARFRAC](#)

[Table of Contents](#)

Lookup and Reference Functions

VLOOKUP and HLOOKUP

Excel offers a number of functions to lookup and retrieve data. Most famous of all is [VLOOKUP](#):

D5 =VLOOKUP(C5,\$F\$5:\$G\$7,2,TRUE)

Basic lookup with VLOOKUP

Name	Sales	Commission
Ferris	\$71,900	3%
Bueller	\$93,500	4%
Chung	\$151,200	5%
Tanaka	\$124,600	5%
Irwin	\$82,500	4%
McNulty	\$60,400	3%

Sales	Commission
\$50,000	3%
\$75,000	4%
\$100,000	5%

```
= VLOOKUP ( C5 , $F$5 : $G$7 , 2 , TRUE )
```

More: [23 things to know about VLOOKUP](#).

[HLOOKUP](#) works like [VLOOKUP](#), but expects data arranged horizontally:

D5 =HLOOKUP(C5,\$G\$4:\$I\$5,2,TRUE)

Horizontal lookup with HLOOKUP

Name	Sales	Commission
Ferris	\$71,900	3%
Bueller	\$93,500	4%
Chung	\$151,200	5%
Tanaka	\$124,600	5%
Irwin	\$82,500	4%
McNulty	\$60,400	3%



Sales	\$50,000	\$75,000	\$100,000
Commission	3%	4%	5%

```
= HLOOKUP ( C5 , $G$4 : $I$5 , 2 , TRUE )
```

VLOOKUP is for vertical data



HLOOKUP is for horizontal data



VLOOKUP only looks to the Right



INDEX and MATCH

For more complicated lookups, [INDEX](#) and [MATCH](#) offers more flexibility and power:

Two-way lookup with INDEX and MATCH

Name	Jan	Feb	Mar
Alper	\$11,882	\$11,519	\$7,565
Burrows	\$11,676	\$6,344	\$5,406
Chandler	\$10,296	\$9,693	\$11,867
Colby	\$4,752	\$6,786	\$12,560
Frantz	\$10,699	\$5,194	\$10,525
Gonzalez	\$10,404	\$8,487	\$8,964
Kyle	\$11,841	\$4,689	\$10,992
Little	\$5,259	\$3,900	\$7,845

Name	Frantz
Month	Feb
Sales	\$ 5,194

`=INDEX(C5:E12,MATCH(H4,B5:B12,0),MATCH(H5,C4:E4,0))`

Both the [INDEX function](#) and the [MATCH function](#) are powerhouse functions that turn up in all kinds of formulas.

LOOKUP

The [LOOKUP function](#) has default behaviors that make it useful when solving certain problems. LOOKUP assumes values are sorted in ascending order and always performs an approximate match. When LOOKUP can't find a match, it will match the next smallest value. In the example below we are using LOOKUP to find the last entry in a column:

Value of last non-empty cell

Date	Price
1-Apr-16	95.34
30-Apr-16	96.1
15-May-16	95.7
15-Jun-16	101.23
30-Jun-16	100.68

Last entry: 30-Jun-16

`=LOOKUP(2,1/(B:B<>""),B:B)`

[This page](#) explains this LOOKUP example in more depth.



The MATCH function is designed to find the position of an item in a range.



ARTICLE

[How to use INDEX and MATCH](#)

ROW and COLUMN

You can use the [ROW function](#) and [COLUMN function](#) to find row and column numbers on a worksheet. Notice both ROW and COLUMN return values for the current cell if no reference is supplied:

ROW	Formula
5	=ROW()
100	=ROW(Z100)
11	=ROW(D11:D16)
2	=ROW(Q2)

COLUMN	Formula
6	=COLUMN()
26	=COLUMN(Z100)
4	=COLUMN(D11:D16)
17	=COLUMN(Q2)

The row function also shows up often in advanced formulas that process data with [relative row numbers](#).

ROWS and COLUMNS

The [ROWS function](#) and [COLUMNS function](#) provide a count of rows in a reference. In the screen below, we are counting rows and columns in an [Excel Table](#) named "Table1".

Planet	Diameter (km)	Satellites
Mercury	4,879	0
Venus	12,104	0
Earth	12,756	1
Mars	6,792	2
Jupiter	142,984	67
Saturn	120,536	200
Uranus	51,118	27
Neptune	49,528	13
Pluto	2,306	5

Rows: 9
Columns: 3

Note ROWS returns a count of data rows in a table, excluding the header row. By the way, here are [23 things to know about Excel Tables](#).

Quick Navigation

- [ABS](#) [AGGREGATE](#) [AND](#)
- [AVERAGE](#) [AVERAGEIF](#)
- [AVERAGEIFS](#) [CEILING](#)
- [CHAR](#) [CHOOSE](#) [CLEAN](#)
- [CODE](#) [COLUMN](#) [COLUMNS](#)
- [CONCAT](#) [CONCATENATE](#)
- [CONVERT](#) [COUNT](#) [COUNTA](#)
- [COUNTBLANK](#) [COUNTIF](#)
- [COUNTIFS](#) [DATE](#) [DATEDIF](#)
- [DAY](#) [EDATE](#) [EOMONTH](#)
- [EXACT](#) [FILTER](#) [FIND](#)
- [FLOOR](#) [GETPIVOTDATA](#)
- [HLOOKUP](#) [HOUR](#)
- [HYPERLINK](#) [IF](#) [IFERROR](#)
- [IFNA](#) [IFS](#) [INDEX](#) [INDIRECT](#)
- [INT](#) [ISBLANK](#) [ISERROR](#)
- [ISEVEN](#) [ISFORMULA](#)
- [ISLOGICAL](#) [ISNUMBER](#)
- [ISODD](#) [ISTEXT](#) [LARGE](#)
- [LEFT](#) [LEN](#) [LOOKUP](#) [LOWER](#)
- [MATCH](#) [MAX](#) [MAXIFS](#)
- [MID](#) [MIN](#) [MINIFS](#) [MINUTE](#)
- [MOD](#) [MODE](#) [MONTH](#)
- [MROUND](#) [NETWORKDAYS](#)
- [NOT](#) [NOW](#) [OFFSET](#) [OR](#)
- [PROPER](#) [RAND](#) [RANDARRAY](#)
- [RANDBETWEEN](#) [RANK](#)
- [REPLACE](#) [RIGHT](#) [ROUND](#)
- [ROUNDDOWN](#) [ROUNDUP](#)
- [ROW](#) [ROWS](#) [SEARCH](#)
- [SECOND](#) [SEQUENCE](#)
- [SMALL](#) [SORT](#) [SORTBY](#)
- [SUBSTITUTE](#) [SUBTOTAL](#)
- [SUM](#) [SUMIF](#) [SUMIFS](#)
- [SUMPRODUCT](#) [TEXT](#)
- [TEXTJOIN](#) [TIME](#) [TODAY](#)
- [TRANSPOSE](#) [TRIM](#)
- [UNIQUE](#) [UPPER](#) [VLOOKUP](#)
- [WEEKDAY](#) [WEEKNUM](#)
- [WORKDAY](#) [XLOOKUP](#)
- [XMATCH](#) [YEAR](#) [YEARFRAC](#)

[Table of Contents](#)

HYPERLINK

You can use the [HYPERLINK function](#) to construct a link with a formula. Note HYPERLINK lets you build both external links and internal links:

Name	Target	Hyperlink
Exceljet	https://exceljet.net	Exceljet
Google	https://www.google.com	Google
Sheet2	#Sheet2!A1	Sheet2
worksheet	worksheet.xlsx	worksheet

`=HYPERLINK(C5,B5)`

GETPIVOTDATA

The [GETPIVOTDATA function](#) is useful for retrieving information from existing pivot tables.

Sales	Region	Product	East	Midwest	West	Total
Extra Dark			\$12,798	\$6,615	\$9,495	\$28,908
Hazelnut			\$35,735	\$9,829	\$16,893	\$62,456
Almond			\$12,864	\$1,546	\$8,099	\$22,509
Chilli Fire			\$8,220	\$3,790	\$3,890	\$15,900
Pistachio			\$2,513	\$768	\$2,604	\$5,885
Bacon			\$2,114	\$292	\$538	\$2,944
Total			\$74,244	\$22,840	\$41,519	\$138,603


`=GETPIVOTDATA("Sales", B4, "Region", I6, "Product", I7)`

Build External and Internal Hyperlinks



CHOOSE


The [CHOOSE function](#) is handy any time you need to make a choice based on a number:



Simple lookups with the CHOOSE function

Input	Output
1	red
2	blue
3	green

`=CHOOSE(2,"red","blue","green") // returns "blue"`




VIDEO

[How to use the CHOOSE function](#)

TRANSPOSE

The [TRANSPOSE function](#) gives you an easy way to transpose vertical data to horizontal, and vice versa.




Vertical to horizontal with the TRANSPOSE function

Item	Cost
Pizza	\$3.25
Hot Dog	\$1.75
Chicken	\$3.50
Sushi	\$5.00
Falafel	\$3.25

Item	Pizza	Hot Dog	Chicken	Sushi	Falafel
Cost	\$3.25	\$1.75	\$3.50	\$5.00	\$3.25

`{ = TRANSPOSE (B4 : C9) }`

Note: TRANSPOSE is a formula and is therefore dynamic. If you just need to do a one-time transpose operation, use [Paste Special](#) instead.



[Transpose Vertical Data to Horizontal](#)

OFFSET

The [OFFSET function](#) is useful for all kinds of dynamic ranges. From a starting location, it lets you specify row and column offsets, and also the final row and column size. The result is a range that can respond dynamically to changing conditions and inputs. You can feed this range to other functions, as in the screen below, where OFFSET builds a range that is fed to the SUM function:

Region	Q1	Q2	Q3	Q4
East	8	4	3	8
West	8	6	10	7
South	9	7	4	4
North	3	10	1	7

Quarter	3
Sum	18

```
= SUM(OFFSET(B4,1,I4,4,1)) // sum of Q3
```


INDIRECT

The [INDIRECT function](#) allows you to build references as text. This concept is a bit tricky to understand at first, but it can be useful in many situations. Below, we are using INDIRECT to get values from cell A1 in 5 different worksheets. Each reference is dynamic. If a sheet name changes, the reference will update.

Sheet	Value
Sheet1	100
Sheet2	200
Sheet3	300
Sheet4	400
Sheet5	500

```
= INDIRECT(B5 & "!A1") // =Sheet1!A1
```

The INDIRECT function is also used to “lock” references so they won’t change, when rows or columns are added or deleted. For more details, see linked examples at the bottom of the [INDIRECT function page](#).



The main purpose of OFFSET is to allow formulas to dynamically adjust to available data or to user input.

Caution: Both **OFFSET** and **INDIRECT** are volatile functions and can slow down large or complicated spreadsheets.

STATISTICAL Functions

COUNT and COUNTA

You can count numbers with the [COUNT function](#) and non-empty cells with [COUNTA](#). You can count blank cells with [COUNTBLANK](#), but in the screen below we are counting blank cells with [COUNTIF](#), which is more generally useful.

Counting numbers and text with COUNT and COUNTA

	1	2	3	4	5		COUNT	COUNTA	Empty
	25	50	75	100	125	→	5	5	0
	apple	pear	orange	peach	kiwi	→	0	5	0
	11-Mar	12-Mar	13-Mar	14-Mar	15-Mar	→	5	5	0
	apple	10	peach	12		→	2	4	1
	5%	10%	15%			→	3	3	2

```
= COUNT(B5:F5) // count numbers
= COUNTA(B5:F5) // count numbers and text
= COUNTIF(B5:F5, "") // count blanks
```



How Many?


COUNTIF and COUNTIFS

For conditional counts, [the COUNTIF function](#) can apply one criteria. The [COUNTIFS function](#) can apply multiple criteria at the same time:

Conditional counting with COUNTIF and COUNTIFS

Date	Color	State	Qty	Total									
9-Jan	Red	TX	1	\$18.00	<table border="1"> <tr> <td>Red</td> <td>5</td> </tr> <tr> <td>> 50</td> <td>2</td> </tr> <tr> <td>Red and TX</td> <td>2</td> </tr> <tr> <td>Blue > 50</td> <td>1</td> </tr> </table>	Red	5	> 50	2	Red and TX	2	Blue > 50	1
Red	5												
> 50	2												
Red and TX	2												
Blue > 50	1												
23-Jan	Blue	CO	2	\$34.00									
3 Feb	Red	NM	2	\$36.00									
18-Feb	Blue	TX	1	\$17.00									
2-Mar	Blue	AZ	3	\$51.00									
15-Mar	Red	AZ	1	\$17.00	<table border="1"> <tr> <td>Red</td> <td>5</td> </tr> <tr> <td>> 50</td> <td>2</td> </tr> <tr> <td>Red and TX</td> <td>2</td> </tr> <tr> <td>Blue > 50</td> <td>1</td> </tr> </table>	Red	5	> 50	2	Red and TX	2	Blue > 50	1
Red	5												
> 50	2												
Red and TX	2												
Blue > 50	1												
25 Mar	Red	TX	2	\$36.00									
2-Apr	Red	CO	4	\$72.00									

```
= COUNTIF(C5:C12, "red") // count red
= COUNTIF(F5:F12, ">50") // count total > 50
= COUNTIFS(C5:C12, "red", D5:D12, "TX") // red and tx
= COUNTIFS(C5:C12, "blue", F5:F12, ">50") // blue > 50
```



VIDEO

[How to use the COUNTIF Function](#)

SUM, SUMIF, SUMIFS

To sum everything, use the [SUM function](#). To sum conditionally, use SUMIF or SUMIFS. Following the same pattern as the counting functions, the [SUMIF function](#) can apply only one criteria while the [SUMIFS function](#) can apply multiple criteria.

Excel screenshot showing a spreadsheet with the formula `=SUMIF(C5:C12,"red",F5:F12)` in cell I5. The spreadsheet contains a table of sales data and a summary table.

Date	Color	State	Qty	Total
9-Jan	Red	TX	1	\$18.00
23-Jan	Blue	CO	2	\$34.00
3-Feb	Red	NM	2	\$36.00
18-Feb	Blue	TX	1	\$17.00
2-Mar	Blue	AZ	3	\$51.00
15-Mar	Red	AZ	1	\$17.00
25-Mar	Red	TX	2	\$36.00
2-Apr	Red	CO	4	\$72.00

Total	Value
Total	\$281.00
Red	\$179.00
> 50	\$123.00
Red and TX	\$54.00
Blue > 50	\$51.00

```

=SUM(F5:F12) // everything
=SUMIF(C5:C12,"red",F5:F12) // red only
=SUMIF(F5:F12,">50") // over 50
=SUMIFS(F5:F12,C5:C12,"red",D5:D12,"tx") // red & tx
=SUMIFS(F5:F12,C5:C12,"blue",F5:F12,">50") // blue & >50
    
```

AVERAGE, AVERAGEIF, and AVERAGEIFS

Following the same pattern, you can calculate an average with [AVERAGE](#), [AVERAGEIF](#), and [AVERAGEIFS](#).



Excel screenshot showing a spreadsheet with the formula `=AVERAGEIF(C5:C12,"red",F5:F12)` in cell I5. The spreadsheet contains a table of sales data and a summary table.

Date	Color	State	Qty	Total
9-Jan	Red	TX	1	\$18.00
23-Jan	Blue	CO	2	\$34.00
3-Feb	Red	NM	2	\$36.00
18-Feb	Blue	TX	1	\$17.00
2-Mar	Blue	AZ	3	\$51.00
15-Mar	Red	AZ	1	\$17.00
25-Mar	Red	TX	2	\$36.00
2-Apr	Red	CO	4	\$72.00

All	Value
All	\$35.13
Red	\$35.80
Red and TX	\$27.00

```

=AVERAGE(F5:F12) // all
=AVERAGEIF(C5:C12,"red",F5:F12) // red only
=AVERAGEIFS(F5:F12,C5:C12,"red",D5:D12,"tx") // red and tx
    
```



VIDEO

[How to use the SUMIF function](#)

MIN, MAX, LARGE, SMALL

You can find largest and smallest values with [MAX](#) and [MIN](#), and nth largest and smallest values with [LARGE](#) and [SMALL](#). In the screen below, "data" is the named range C5:C13, used in all formulas.


F8 X ✓ fx =LARGE(data,E8)

	A	B	C	D	E	F	G	H	I	
1										
2		<i>Biggest or smallest with MAX, MIN, LARGE and SMALL</i>								
3										
4		First	Score			MAX	MIN			
5		Sue	66			88	66			
6		Sarah	84							
7		Justin	69							
8		Manfred	77		Nth	LARGE	SMALL			
9		Ted	67		1	88	66			
10		Aubrey	88		2	86	67			
11		Gen	86		3	84	69			
12		Renee	74							
13		Otto	84							
14										

EXCELJET



Find LARGEST and SMALLEST values



VIDEO

[How to find the nth smallest or largest value](#)

```

=MAX(data) // largest
=MIN(data) // smallest
=LARGE(data,1) // 1st largest
=LARGE(data,2) // 2nd largest
=LARGE(data,3) // 3rd largest
=SMALL(data,1) // 1st smallest
=SMALL(data,2) // 2nd smallest
=SMALL(data,3) // 3rd smallest
    
```

MINIFS, MAXIFS

The [MINIFS](#) and [MAXIFS](#). These functions let you find minimum and maximum values with conditions:

Excel screenshot showing the formula bar: `=MAXIFS(D5:D15,C5:C15,"female")`

MINIFS and MAXIFS for min and max values with criteria

Name	Gender	Score	Gender	MAXIF	MINIF
Hannah	Female	93	Female	93	72
Edward	Male	79	Male	83	64
Miranda	Female	85			
William	Male	64			
Joanna	Female	81			
Collin	Male	83			
Oscar	Male	64			
Arturo	Male	76			
Annie	Female	72			
Weston	Male	64			
Cassidy	Female	83			

```

=MAXIFS(D5:D15,C5:C15,"female") // highest female
=MAXIFS(D5:D15,C5:C15,"male") // highest male
=MINIFS(D5:D15,C5:C15,"female") // lowest female
=MINIFS(D5:D15,C5:C15,"male") // lowest male
    
```

Note: MINIFS and MAXIFS are new in Excel via Office 365 and Excel 2019.

MODE

The [MODE function](#) returns the most commonly occurring number in a range:

Excel screenshot showing the formula bar: `=MODE(B5:G5)`


Find most frequently occurring number with MODE

	1	2	3	4	5	6	MODE
1	1	2	2	1	1	2	1
6	5	10	15	15	10	5	5
7	69	70	70	71	71	70	70
8	95	115	125	115	95	115	115

```

=MODE(B5:G5) // returns 1
    
```

Find the smallest blue fish




Most commonly occurring dog color



RANK



To rank values largest to smallest, or smallest to largest, use the [RANK function](#):



City	State	Population	Rank
Houston	TX	2,100,263	4
Phoenix	AZ	1,445,632	6
New York	NY	8,175,133	1
Philadelphia	PE	1,526,006	5
Los Angeles	CA	3,792,621	2
San Antonio	TX	1,327,407	7
San Diego	CA	1,307,402	8
Chicago	IL	2,695,598	3

See [this formula](#) which demonstrates how to use the RANK function to calculate race results.

Rank Largest to Smallest



Video

[*How to rank values with the RANK function*](#)

MATH Functions

ABS

To change negative values to positive use the [ABS function](#).

Input	Output
-134.50	\$134.50
500.00	500
5.13	5.125
-0.13	\$0.13
-43.00	\$43.00

```
=ABS(-134.50) // returns 134.50
```

ABS — Negative to Positive

-100.00

\$100.00

RAND and RANDBETWEEN

Both the [RAND function](#) and [RANDBETWEEN function](#) can generate random numbers on the fly. RAND creates long decimal numbers between zero and 1. RANDBETWEEN generates random integers between two given numbers.

RAND	RANDBETWEEN
0.351613613	58
0.301564967	22
0.683756914	4
0.673618677	66
0.749792539	27
0.770318131	58

```
=RAND() // between zero and 1
=RANDBETWEEN(1,100) // between 1 and 100
```



To generate a random dice roll

RANDBETWEEN(1,6)

ROUND, ROUNDUP, ROUNDDOWN, INT

To round values up or down, use the [ROUND function](#). To force rounding up to a given number of digits, use [ROUNDUP](#). To force rounding down, use [ROUNDDOWN](#). To discard the decimal part of a number altogether, use the [INT function](#).

Number	Digits	ROUND	ROUNDUP	ROUNDDOWN	INT
11.777	1	11.8	11.8	11.7	11
15.11	1	15.1	15.2	15.1	15
13.85	1	13.9	13.9	13.8	13
9.91	1	9.9	10	9.9	9

```

=ROUND(11.777,1) // returns 11.8
=ROUNDUP(11.777) // returns 11.8
=ROUNDDOWN(11.777,1) // returns 11.7
=INT(11.777) // returns 11
    
```

MROUND, CEILING, FLOOR

To round values to a the nearest multiple use the [MROUND function](#). The [FLOOR function](#) and [CEILING function](#) also round to a given multiple. FLOOR forces rounding down, and CEILING forces rounding up.

Number	Multiple	MROUND	CEILING	FLOOR
11.777	0.25	11.75	12	11.75
15.49	0.25	15.5	15.5	15.25
13.85	0.25	13.75	14	13.75
10.05	0.25	10	10.25	10

```

=MROUND(13.85,.25) // returns 13.75
=CEILING(13.85,.25) // returns 14
=FLOOR(13.85,.25) // returns 13.75
    
```

Quick Navigation


- [ABS](#) [AGGREGATE](#) [AND](#)
- [AVERAGE](#) [AVERAGEIF](#)
- [AVERAGEIFS](#) [CEILING](#)
- [CHAR](#) [CHOOSE](#) [CLEAN](#)
- [CODE](#) [COLUMN](#) [COLUMNS](#)
- [CONCAT](#) [CONCATENATE](#)
- [CONVERT](#) [COUNT](#) [COUNTA](#)
- [COUNTBLANK](#) [COUNTIF](#)
- [COUNTIFS](#) [DATE](#) [DATEDIF](#)
- [DAY](#) [EDATE](#) [EOMONTH](#)
- [EXACT](#) [FILTER](#) [FIND](#)
- [FLOOR](#) [GETPIVOTDATA](#)
- [HLOOKUP](#) [HOUR](#)
- [HYPERLINK](#) [IF](#) [IFERROR](#)
- [IFNA](#) [IFS](#) [INDEX](#) [INDIRECT](#)
- [INT](#) [ISBLANK](#) [ISERROR](#)
- [ISEVEN](#) [ISFORMULA](#)
- [ISLOGICAL](#) [ISNUMBER](#)
- [ISODD](#) [ISTEXT](#) [LARGE](#)
- [LEFT](#) [LEN](#) [LOOKUP](#) [LOWER](#)
- [MATCH](#) [MAX](#) [MAXIFS](#)
- [MID](#) [MIN](#) [MINIFS](#) [MINUTE](#)
- [MOD](#) [MODE](#) [MONTH](#)
- [MROUND](#) [NETWORKDAYS](#)
- [NOT](#) [NOW](#) [OFFSET](#) [OR](#)
- [PROPER](#) [RAND](#) [RANDARRAY](#)
- [RANDBETWEEN](#) [RANK](#)
- [REPLACE](#) [RIGHT](#) [ROUND](#)
- [ROUNDDOWN](#) [ROUNDUP](#)
- [ROW](#) [ROWS](#) [SEARCH](#)
- [SECOND](#) [SEQUENCE](#)
- [SMALL](#) [SORT](#) [SORTBY](#)
- [SUBSTITUTE](#) [SUBTOTAL](#)
- [SUM](#) [SUMIF](#) [SUMIFS](#)
- [SUMPRODUCT](#) [TEXT](#)
- [TEXTJOIN](#) [TIME](#) [TODAY](#)
- [TRANSPOSE](#) [TRIM](#)
- [UNIQUE](#) [UPPER](#) [VLOOKUP](#)
- [WEEKDAY](#) [WEEKNUM](#)
- [WORKDAY](#) [XLOOKUP](#)
- [XMATCH](#) [YEAR](#) [YEARFRAC](#)

[Table of Contents](#)

MOD

The [MOD function](#) returns the remainder after division. This sounds boring and geeky, but MOD turns up in all kinds of formulas, especially formulas that need to do something “every nth time”. In the screen below, you can see how MOD returns zero every third number when the divisor is 3:

Number	Divisor	MOD
1	3	1
2	3	2
3	3	0
4	3	1
5	3	2
6	3	0
7	3	1
8	3	2
9	3	0



The [MOD function](#) returns the remainder

SUMPRODUCT

The [SUMPRODUCT](#) function is powerful and versatile tool when dealing with all kinds data. You can use SUMPRODUCT to easily count and sum based on criteria, and you can use it in elegant ways that just don’t work with COUNTIFS and SUMIFS. In the screen below, we are using SUMPRODUCT to count and sum orders in March. See the [SUMPRODUCT page](#) for details and links to many examples.

Date	Sales
10-Jan	75
25-Jan	100
3-Feb	125
17-Feb	125
25-Feb	150
5-Mar	125
12 Mar	200
19 Mar	175

Count March	3
Sum March	500

```

=SUMPRODUCT(--(MONTH(B5:B12)=3)) // count March
=SUMPRODUCT(--(MONTH(B5:B12)=3),C5:C12) // sum March
    
```



Sunglasses sold in July

Sumproduct is a powerful and versatile tool that is easy to use.

SUBTOTAL

The [SUBTOTAL function](#) is an “aggregate function” that can perform a number of operations on a set of data. The key feature of SUBTOTAL is that it will ignore rows that have been “filtered out” of an [Excel Table](#), and, optionally, rows that have been manually hidden. In the screen below, SUBTOTAL is used to count and sum only the 7 visible rows in the table:

Working with hidden and filtered rows with SUBTOTAL

Item	Category	Qty	Price	Total
apples	Fruit	12	\$0.15	\$1.80
pears	Fruit	6	\$0.35	\$2.10
oranges	Fruit	10	\$0.22	\$2.20
plums	Fruit	4	\$0.26	\$1.04
banannas	Fruit	6	\$0.12	\$0.72
lemons	Fruit	3	\$0.16	\$0.48
limes	Fruit	6	\$0.20	\$1.20

Visible: 7
Total: \$9.54

```
=SUBTOTAL(3,B5:B14) // returns 7
=SUBTOTAL(9,F5:F14) // returns 9.54
```

SUBTOTAL can perform 11 operations, including SUM, AVERAGE, COUNT, MAX, MIN, etc. (see [This Page](#) for the full list)

AGGREGATE

Like SUBTOTAL, the [AGGREGATE function](#) can run a number of aggregate operations on a set of data and can optionally ignore hidden rows. The key differences are that AGGREGATE can run more operations and can also ignore errors.

Operations that ignore errors and/or hidden rows


Values	MAX	MIN
98	100	75
95		
87		
95		
#N/A		
75		
90		
100		
80		

LARGE: 100, 98, 95
SMALL: 75, 80, 87

values - B5:B13

```
=AGGREGATE(4,6,values) // MAX ignore errors, returns 100
=AGGREGATE(5,6,values) // MIN ignore errors, returns 75
```

AGGREGATE can perform 19 operations and can also ignore errors. See [this page](#) for a full list of operations.



Above, AGGREGATE is used to perform MIN, MAX, LARGE and SMALL operations while ignoring errors. Normally, the error in cell B9 would prevent these functions from returning a result.

TEXT Functions


LEFT, RIGHT, MID

To extract characters from the left, right, or middle of text, use [LEFT](#), [RIGHT](#), and [MID](#) functions:

Text	LEFT	MID	RIGHT
ABC-1234-RED	ABC	1234	RED
BEF-6549-GRN	BEF	6549	GRN
SJU-9264-BLK	SJU	9264	BLK
ZRT-6278-BLU	ZRT	6278	BLU

```

=LEFT("ABC-1234-RED",3) // returns "ABC"
=MID("ABC-1234-RED",5,4) // returns "1234"
=RIGHT("ABC-1234-RED",3) // returns "RED"
    
```



Separate text into columns

FORMULA

Get first name from full name

LEN

The [LEN](#) function will return the length of a text string. LEN shows up in a lot of formulas that count words or [characters](#).

Text	LEN
We drove that car as far as we could	36
Better the devil you know	25
Perfect is the enemy of the good	32
This is not my beautiful wife	29
Holly came from Miami, F.L.A.	29

FIND, SEARCH

To look for specific text in a cell, use the [FIND function](#) or [SEARCH function](#). These functions return the numeric position of matching text, but SEARCH allows wildcards and FIND is case-sensitive. Both functions will throw an error when text is not found, so wrap in the [ISNUMBER function](#) to return TRUE or FALSE ([example here](#)).



**Text Functions —
Find, Replace and
Sustitute**

E5 =SEARCH(C5,B5)					
A	B	C	D	E	F
1	Locating text with SEARCH and FIND				
2					
3					
4	Text	Look for		SEARCH	FIND
5	We drove that car as far as we could	car	-->	15	15
6	Better the devil you know	devil	-->	12	12
7	Perfect is the enemy of the good	GOOD	-->	29	#VALUE!
8	This is not my beautiful wife	bea*	-->	16	#VALUE!
9	Holly came from Miami, F.L.A.	Holly	-->	1	1

```
= FIND("Better the devil you know","devil") // returns 12
= SEARCH("This is not my beautiful wife","bea*") // returns 12
```

REPLACE, SUBSTITUTE

To replace text by position, use the [REPLACE function](#). To replace text by matching, use the [SUBSTITUTE function](#). In the first example, REPLACE removes the two asterisks (**) by replacing the first two characters with an empty string (“”). In the second example, SUBSTITUTE removes all hash characters (#) by replacing “#” with “”.

FORMULA
Cell contains one
of many things

F5 =SUBSTITUTE(E5,"#", "")					
A	B	C	D	E	F
1	Changing text with REPLACE and SUBSTITUTE				
2					
3					
4	Input	REPLACE	Input	SUBSTITUTE	
5	**Red	Red	##Red##	Red	
6	**Blue	Blue	##Blue##	Blue	
7	**Green	Green	##Green##	Green	
8	**Silver	Silver	##Silver##	Silver	
9	**Black	Black	##Black##	Black	

```
= REPLACE("**Red",1,2,"") // returns "Red"
= SUBSTITUTE("##Red##","#","") // returns "Red"
```

CODE, CHAR

To figure out the numeric code for a character, use the [CODE function](#). To translate the numeric code back to a character, use the [CHAR function](#). In the example below, CODE translates each character in column B to its corresponding code. In column F, CHAR translates the code back to a character.

Input	CODE	CHAR
a	97	a
b	98	b
c	99	c
X	88	X
Y	89	Y
Z	90	Z


```
= CODE("a") // returns 97
= CHAR(97) // returns "a"
```

TRIM, CLEAN

To get rid of extra space in text, use the [TRIM function](#). To remove line breaks and other non-printing characters, use [CLEAN](#).



Input	TRIM	CLEAN
Toy Story	Toy Story	Toy Story
The Lord of the Rings	The Lord of the Rings	The Lord of the Rings
The Sixth Sense	The Sixth Sense	The Sixth Sense

```
= TRIM(A1) // remove extra space
= CLEAN(A1) // remove line breaks
```



VIDEO

[How to use the CODE and CHAR functions](#)




VIDEO

[How to clean text with TRIM and CLEAN](#)

CONCAT, TEXTJOIN, CONCATENATE

New in Excel via Office 365 are CONCAT and TEXTJOIN. The [CONCAT function](#) lets you concatenate (join) multiple values, including a range of values without a delimiter. The [TEXTJOIN function](#) does the same thing, but allows you to specify a delimiter and can also ignore empty values.




```
= TEXTJOIN(", ", TRUE, B4:H4) // returns "red, blue, green, pink, black"
= CONCAT(B7:H7) // returns "8675309"
```


Excel also provides the [CONCATENATE function](#), but it doesn't offer special features. I wouldn't bother with it and would instead [concatenate](#) directly with the ampersand (&) character in a formula.

EXACT

The [EXACT](#) function allows you to compare two text strings in a case-sensitive manner.



Join cells together



UPPER, LOWER, PROPER


To change the case of text, use the [UPPER](#), [LOWER](#), and [PROPER](#) function

D5 X ✓ fx =UPPER(B5)


Name		UPPER	LOWER	PROPER
Sue BROWN	->	SUE BROWN	sue brown	Sue Brown
Sarah DUNCAN	->	SARAH DUNCAN	sarah duncan	Sarah Duncan
Justin GATT	->	JUSTIN GATT	justin gatt	Justin Gatt
Manfred HOLLIS	->	MANFRED HOLLIS	manfred hollis	Manfred Hollis
Troy JOHNSON	->	TROY JOHNSON	troy johnson	Troy Johnson
Aubrey SINCLAIR	->	AUBREY SINCLAIR	aubrey sinclair	Aubrey Sinclair
Gen TANAKA	->	GEN TANAKA	gen tanaka	Gen Tanaka
Renee ZWICK	->	RENEE ZWICK	renee zwick	Renee Zwick

EXCELJET

Standardize a List of Names



```
=UPPER("Sue BROWN") // returns "SUE BROWN"
=LOWER("Sue BROWN") // returns "sue brown"
=PROPER("Sue BROWN") // returns "Sue Brown"
```



VIDEO

[How to change case with formulas](#)

TEXT

Last but definitely not least is the [TEXT function](#). The text function lets you apply number formatting to numbers (including dates, times, etc.) as text. This is especially useful when you need to embed a formatted number in a message, like "Sale ends on [date]"

D5 X ✓ fx =TEXT(B5,"\$#,##0.00")

Number		TEXT
1000	->	\$1,000.00
123	->	000123
15%	->	Save 15%
1-Dec-2018	->	Sale ends Dec. 1

EXCELJET


```
=TEXT(B5,"$#,##0.00")
=TEXT(B6,"000000")
="Save " & TEXT(B7,"0%")
="Sale ends " & TEXT(B8,"mmm d")
```

More: [Detailed examples of custom number formatting.](#)

Dynamic Array Functions

[Dynamic arrays](#) are new in [Excel 365](#), and are a *major* upgrade to Excel's formula engine. As part of the dynamic array update, Excel includes new functions which directly leverage dynamic arrays to solve problems that are traditionally hard to solve with conventional formulas. If you are using Excel 365, make sure you are aware of these new functions:



FUNCTION	PURPOSE
FILTER	Filter data and return matching records
RANDARRAY	Generate array of random numbers
SEQUENCE	Generate array of sequential numbers
SORT	Sort range by column
SORTBY	Sort range by another range or array
UNIQUE	Extract unique values from a list or range
XLOOKUP	Modern replacement for VLOOKUP
XMATCH	Modern replacement for the MATCH function



VIDEO

[*New dynamic array functions in Excel \(about 3 minutes\).*](#)

FILTER and SORT can be used in many ways







More Resources

See also the [full list of Excel functions](#) and collection of [Excel Formulas](#) on our website for reference.

Excel Training

In addition to the free resources on the site, we also provide [high quality video training](#). Our videos are quick, clean, and to the point, so you can learn Excel in less time, and easily review key topics when needed. Each video comes with its own practice worksheet. [Read more...](#)



Quick Navigation

[ABS](#) [AGGREGATE](#) [AND](#)
[AVERAGE](#) [AVERAGEIF](#)
[AVERAGEIFS](#) [CEILING](#)
[CHAR](#) [CHOOSE](#) [CLEAN](#)
[CODE](#) [COLUMN](#) [COLUMNS](#)
[CONCAT](#) [CONCATENATE](#)
[CONVERT](#) [COUNT](#) [COUNTA](#)
[COUNTBLANK](#) [COUNTIF](#)
[COUNTIFS](#) [DATE](#) [DATEDIF](#)
[DAY](#) [EDATE](#) [EOMONTH](#)
[EXACT](#) [FILTER](#) [FIND](#)
[FLOOR](#) [GETPIVOTDATA](#)
[HLOOKUP](#) [HOUR](#)
[HYPERLINK](#) [IF](#) [IFERROR](#)
[IFNA](#) [IFS](#) [INDEX](#) [INDIRECT](#)
[INT](#) [ISBLANK](#) [ISERROR](#)
[ISEVEN](#) [ISFORMULA](#)
[ISLOGICAL](#) [ISNUMBER](#)
[ISODD](#) [ISTEXT](#) [LARGE](#)
[LEFT](#) [LEN](#) [LOOKUP](#) [LOWER](#)
[MATCH](#) [MAX](#) [MAXIFS](#)
[MID](#) [MIN](#) [MINIFS](#) [MINUTE](#)
[MOD](#) [MODE](#) [MONTH](#)
[MROUND](#) [NETWORKDAYS](#)
[NOT](#) [NOW](#) [OFFSET](#) [OR](#)
[PROPER](#) [RAND](#) [RANDARRAY](#)
[RANDBETWEEN](#) [RANK](#)
[REPLACE](#) [RIGHT](#) [ROUND](#)
[ROUNDDOWN](#) [ROUNDUP](#)
[ROW](#) [ROWS](#) [SEARCH](#)
[SECOND](#) [SEQUENCE](#)
[SMALL](#) [SORT](#) [SORTBY](#)
[SUBSTITUTE](#) [SUBTOTAL](#)
[SUM](#) [SUMIF](#) [SUMIFS](#)
[SUMPRODUCT](#) [TEXT](#)
[TEXTJOIN](#) [TIME](#) [TODAY](#)
[TRANSPOSE](#) [TRIM](#)
[UNIQUE](#) [UPPER](#) [VLOOKUP](#)
[WEEKDAY](#) [WEEKNUM](#)
[WORKDAY](#) [XLOOKUP](#)
[XMATCH](#) [YEAR](#) [YEARFRAC](#)

[Table of Contents](#)